



Microsoft Fabric

This presentation is the property of Microsoft and is intended for informational and educational purposes only. You may use, copy, and distribute this presentation for your personal, non-commercial purposes. You may not modify, alter, or create derivative works from this presentation without the prior written consent of Microsoft. You may not use this presentation to misrepresent, defame, or disparage Microsoft or its products, services, or affiliates. You may not use this presentation to endorse or promote any other products, services, or organizations without the prior written consent of Microsoft.

By using this presentation, you agree to abide by these terms. If you do not agree, you must not use this presentation. Microsoft reserves the right to change these terms and conditions at any time without notice. Microsoft disclaims any and all warranties, express or implied, relating to this presentation, including but not limited to the accuracy, completeness, timeliness, or suitability of the information contained herein. Microsoft is not liable for any damages, losses, or liabilities arising from your use of or reliance on this presentation.

Please review the terms of use posted in the content library.

#FABCONSQLCON2026

FABCON

Microsoft Fabric
COMMUNITY CONFERENCE

SQLCON

Microsoft SQL
COMMUNITY CONFERENCE

ATLANTA MARCH 16 - 20, 2026

Build Better, Ship Faster. Developer Experiences in Fabric Warehouse



Pradeep Srikakolapu

Product Manager, Microsoft Fabric Data Warehouse
Developer Experiences, CI/CD, Client tooling, Connectivity



venkata-satya-pradeep -srikakolapu-755a2b71/



pvenkat@microsoft.com



Snoo-46123

Who this is for

- Data Engineer
- Analytics engineer
- SQL developer
- Platform & DevOps Engineer
- Architect

Our promise

- Build where you're productive (Web, VS Code, SSMS, CLI)
- Ship with confidence (safe, incremental, dependency-aware CI/CD)

01 Agentic Skills & MCP – Fabric Warehouse

02 Developer Experiences

03 CI & CD


04 Customer success in action

Introducing Agent Skills for Fabric

Public preview

The Flow: Prompt → Insight

How a real query flows through Fabric Skills and MCP to live warehouse data





<http://aka.ms/skills-for-fabric>



Choose from predefined task flows or add a task to build one

Select from one of Microsoft's predefined task flows or add a task to start building one yourself.


Select a predefined task flow

Add a task

→ Import a task flow

	Name	Status	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
	bronze_ingestion		Notebook	—	Pradeep Srikak...	—	—	—	Confidential\M...	
	zava_bronze		Lakehouse	—	Pradeep Srikak...	—	—	—	Confidential\M...	
	zava_bronze		SQL analytics e...	—	Pradeep Srikak...	—	—	—	Confidential\M...	

Developer Experiences




OneLake enables SQL, KQL, and Spark analytics on the same warehouse data—no duplication required.

Build Direct Lake semantic models over OneLake data directly from the SQL Query Editor, enabling analytics beyond the SQL warehouse surface.

Automated actions: notifications, pipelines, and workflows

Boost productivity with auto-saved queries and easy sharing

Developer Experiences Roadmap





A strategic investment in the modern analytics stack

What's available today?

First-class dbt-core adapter support

- Warehouse adapter: enterprise warehousing + SQL-first analytics engineering
- Lakehouse adapter: analytics engineering directly on OneLake tables – **GA in April**

dbt Jobs as the production control plane on Fabric

- Scheduling, retries, observability, environment promotion—built for operating dbt at scale


Dbt Cloud support for Fabric Warehouse adapter

- Orchestrate and transform your data in Data Warehouse from dbt cloud

Announcing Private Preview: Fabric Warehouse dbt Fusion Adapter

Sign up to shape the future of analytics engineering on
Microsoft Fabric





Continuous Integration & Deployment

In the context of a **data warehouse**, **Continuous Integration (CI)** and **Continuous Deployment (CD)** are practices borrowed from software engineering that aim to make development, testing, and deployment of code changes faster, more reliable, and more automated.

Overview contd - Continuous Integration

Continuous Integration (CI) for a Data Warehouse refers to automatically integrating and validating changes to warehouse objects like tables, views, stored procedures, pipelines, and more.

Version Control: All warehouse objects (SQL scripts, dbt models, etc.) are stored in a source control system like Git.

Automation:

- SQL validation – syntax, permissions.
- Schema checks – column types, constraints.

Build Pipelines:

- Compile and validate changes (e.g., using tools like DacFx for SQL Server).
- Compare schema changes using tools like SSDT or schema compare.

Example: When a developer pushes a new table definition to Git

- Check syntax.
- Ensure the table matches standards.

Overview contd - Continuous Delivery/Deployment

Continuous Deployment (CD) focuses on automatically deploying validated changes to the warehouse environments (e.g., Dev → Test → Prod).

Key Elements:

- Environment Promotion : Dev → Test → Stage → Prod.
- Apply schema changes incrementally or with full deployments.

Rollback Strategy:

- Maintain backup or point-in-time restores.

Type of Deployment - Define the desired end state of the schema in the target.

Example: When Once changes are merged to main


- Automatically deploys to the next stage.
- Optionally promotes to Prod on schedule or with approval.

Announcing Pu. Preview CI/CD 2.0 with DacFx – Web Experiences

Coming in weeks

CI/CD 2.0 brings SQL-native DevOps to Fabric Warehouse—version, deploy, and manage schemas using DacFx directly from the Fabric web experience.

CI/CD Overview



Demo - Update your warehouses in version-controlled workspaces

Version controlled Workspaces with Fabric Warehouse - Demo

Fabric

dw

Search

Trials activated: 20 days left

Home

Workspaces

Copilot

OneLake catalog

Databases

Monitor

Real-Time

Workloads

[del] alter_test

My workspace

...

[del] alter_test

Production

Recycle bin

View deployment pipeline

Create app

Manage access

Workspace settings

New item

New folder

Import

Migrate

Source control

Filter by keyword

Filter

Choose from predesigned task flows or add a task to build one

Select from one of Microsoft's predesigned task flows or add a task to start building one yourself.

Select a predesigned task flow

Add a task

Import a task flow

Name	Status	Git status	Type	Task	Owner
dw		Synced	Warehouse	—	Pradeep Srikakola...

prdpsvs / fabric-cicd-demo

Type to search

+

Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Files

demo-branch

Go to file

test

dw.Warehouse

dbo

DbRoles

Tables

.platform

SQL query 2.sql

dw.sqlproj

xm1a.json

Readme.md

fabric-cicd-demo / test

Add file

...

prdpsvs Committing 1 item from workspace 7be26705-3b27-4769-9c41-e59a60c06... 86c351f · now History

This branch is 5 commits ahead of and 1 commit behind main . Contribute

Name	Last commit message	Last commit date
..		
dw.Warehouse	Committing 1 item from workspace 7be26705...	now
Readme.md	Creating directory test	now

Readme.md

This is an auto-created file for test

Demo Commit & Deploy your warehouse

Fabric

test_dw

deployment_1111

Confidential\Microsoft Extended

Search

Trials activated: 15 days left

Share

Home

Security

Management

Help

Get data

New SQL query

SQL templates

Monitoring

New semantic model

New API for GraphQL

Add to data agent

Download SQL database project

Open in

Copilot

Explorer

Warehouses

test_dw

Schemas

dbo

Tables

Customers

OrderLineIt

Orders

Products

Views

Functions

Stored Proce...

INFORMATION_...

queryinsights

reporting

sys

Security

Queries

My queries

SQL query 1

SQL query 10

SQL query 2

SQL query 3

SQL query 4

SQL query 5

SQL query 6

SQL query 8

SQL query 9

Shared queries

Query, model, or preview your data

You can use this editor to query, preview, or model your data for analysis. Start with a new query.

New SQL query

Fabric

main

Copy SQL connection string

Demo

Cross Warehouse References

Fabric

test_dw

deployment_1111

Search

Trials activated:
15 days left

Home

Workspaces

Copilot

OneLake catalog

Monitor

Real-Time

Workloads

dacfx_test_p rod

dacfx_test

My workspace

...

dacfx_test

Development

+ New item

New folder

→ Import

Migrate

View deployment pipeline

Create app

Manage access

Workspace settings

Source control

Filter by keyword

Filter

Choose from predesigned task flows or add a task to build one

Select from one of Microsoft's predesigned task flows or add a task to start building one yourself.

Select a predesigned task flow

Add a task

→ Import a task flow

	Name	Status	Git status	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
	abc_test		✓ Synced	Warehouse	—	Pradeep Sriakolapu	—	—	—	Confidential\Microsoft Ext...	ⓘ
	test_dw		✓ Synced	Warehouse	—	Pradeep Sriakolapu	—	—	—	Confidential\Microsoft Ext...	ⓘ
	test_dw2		✓ Synced	Warehouse	—	Pradeep Sriakolapu	—	—	—	Confidential\Microsoft Ext...	ⓘ

Fabric

main

Last synced: 12/11/2025 at 11:00 PM

5c0@5cc0

Announcing SQL Database projects in SSMS 22

Create a new project

Search for templates (Alt+S)

Recent project templates

A list of your recently accessed templates will be displayed here.

All languages All platforms All project types

Blank Solution

Create an empty solution containing no projects

Other

SQL Database Project

SDK-style project template for SSMS.

Query Language SQL

SQL Server Scripts

A project for creating and maintaining SQL Server items.

AdventureWorks Property Pages

Configuration: N/A Platform: N/A Configuration Manager...

Common Properties

Project Settings

SqlCmd Variables

SQL Code Analysis

Configuration Properties

Design Rules

SR0001: Avoid SELECT *	Warning (default)
SR0008: Use SCOPE_IDENTITY	Warning (default)
SR0009: Avoid small variable-length typ	Warning (default)
SR0010: Avoid deprecated JOIN syntax	Warning (default)
SR0013: Output parameters in all paths	Warning (default)
SR0014: Data type compatibility	Warning (default)

General

Run Sql CodeAnalysis

Naming Rules

SR0011: Avoid special characters in nam	Warning (default)
SR0012: Avoid reserved words for type n	Warning (default)
SR0016: Avoid sp_ prefix	Warning (default)

Performance Rules

SR0004: Unindexed columns in IN predic	Warning (default)
SR0005: LIKE patterns with leading %	Warning (default)
SR0006: Simplify indexed column expres	Warning (default)
SR0007: Use ISNULL on nullable column	Warning (default)
SR0015: Extract deterministic function c	Warning (default)

Run Sql CodeAnalysis

Check this box to enable code analysis while building

OK

Cancel

Apply

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'AdventureWorks' (1 of 1 project)

AdventureWorks

- dbo
 - Functions
 - StoredProcedures
 - uspLogError.sql
 - uspPrintError.sql
 - Tables
 - UserDefinedTypes
- SalesLT
 - Sequences
 - Tables
 - Address.sql
 - Customer.sql
 - CustomerAddress.sql
 - Product.sql
 - ProductCategory.sql
 - ProductDescription.sql
 - ProductModel.sql
 - ProductModelProductDescription.sql
 - SalesOrderDetail.sql
 - SalesOrderHeader.sql
- Views
- Security

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'AdventureWorks' (1 of 1 project)

AdventureWorks

- Build
 - Rebuild
 - Clean
 - Publish...
- Scope to This
- New Solution Explorer View
- Edit Project File
- Add
- Cut Ctrl+X
- Remove Del
- Rename F2
- Unload Project
- Load Direct Dependencies
- Load Entire Dependency Tree
- Copy Full Path
- Open in File Explorer
- Open in Terminal
- Properties Alt+Enter
- SalesOrderHeader.sql
- Views
- Security

Error List

Entire Solution 0 Errors 2 Warnings 0 of 1 Message Build + IntelliSense

	Code	Description
	SR0008	Microsoft.Rules.Data : Potential misuse of system function @@IDENTITY.
	SR0011	Microsoft.Rules.Data : Object name(Database Version) contains special characters.

Announcing Preview

Data Loss Prevention in Fabric Deployment Pipelines

Prevent accidental table drops and destructive schema changes in Fabric git & deployment pipelines using DacFx-based validation.

Pre & Post-Scripts Integration for Warehouses

Run controlled pre and post deployment actions to prepare dependencies and execute setup, secure or clean up environments.

Cross-Warehouse & SQL Endpoint References

Support end-to-end dependency resolution across Warehouses and SQL Endpoints within Fabric Git and deployment workflows.

Roadmap

Cross-Warehouse References(Git & Dep. Pipelines)

Enable warehouses to safely reference objects across other warehouses with dependency-aware Git integration and Fabric deployment pipelines.

SQL Endpoint Git & Deployment Pipeline Support

Version control and deploy SQL Analytics Endpoint objects through Git and Fabric deployment workflows, including pre and post-script support.

Selective Commits & Deployments

Commit and deploy only intended schema changes, reducing noise and risk in large warehouses and enterprise git and deployment pipeline workflows.

Announcing Preview



We have a massive amount of data, and it's always changing. That's why we moved to a cloud platform with built-in analytics. On the data warehousing side, the ability to scale up and out **indefinitely** has been game changing for us.

David Purdy

Senior Associate Enterprise Architect at Eastman Chemical

EASTMAN

David Purdy



in/dave-purdy-5614261

A little about me...

Enterprise architect responsible for Eastman's data estate.

At Eastman since 1991

- From developer
 - started with Fortran on a VAX (old school cool 😊)
- To DBA
 - SQL Server 6.5 when I started
- To business intelligence analyst
 - Cognos -> SSIS, SSRS, SSAS -> Tableau -> Power BI
- To architect
 - Initial cloud migration -> Synapse & Qlik Compose -> Fabric & DBT

Working with Fabric since the Trident days

Working towards fully AI enabled architecture

Luna

Challenges

- Slow onboarding of new data sources and domains
- High maintenance overhead for SSIS packages and on-prem infra
- Single-project bottleneck for changes and deployments
- Limited integration with modern analytics and AI tooling



CURRENT STATE




MONOLITHIC SQL SERVER 2019
DATA WAREHOUSE



ETL-HEAVY PROCESSES
IMPLEMENTED WITH SSIS
(LEGACY TOOLING, HIGH
MAINTENANCE)



VERTICAL SCALING LIMITATIONS
(SCALE-UP ONLY)




SINGLE, LARGE DATABASE
PROJECT REPO CAUSING
AGILITY BOTTLENECKS

Business Impact & Drivers

- Modernize ETL to ELT (Fabric Mirroring + dbt) for maintainability
- Scale with demand — by domain or processing type
- Improve governance via domain boundaries
- Reduce infrastructure management and enable faster innovation



Faster time-to-insight for domain teams



Reduced operational overhead and hardware management




Improved compliance and traceability via unified governance



Platform readiness for AI, streaming, and modern analytics

Architecture

Domain focused data hub
(finance, supply chain, etc.)



Extract and Load

- Mirroring whenever possible
- Pipelines or copy jobs when not
- Basic pre-processing when needed (e.g., unrolling json).

Transformation

- dbt (sql based transforms)
- bronze
 - one or more lakehouses separated by source
 - shortcuts from ingestion workspace
- silver
 - single warehouse
 - typically views but can be materialized for performance
- gold
 - one or more warehouses
 - separated by topic or for security.

Presentation

- All user query load
- Can also house
 - AI/ML models
 - Data Agents

Each vault is a separate workspace






Database objects are managed by dbt. Each vault is a separate dbt project.

Shortcut modeled data from one vault to another

Shortcut modeled data into data product analytics workspace

Data Product Workspace

Data Product Workspace



Projects

- reference_data_vault
 - macros
 - models
 - bronze
 - gold
 - silver
 - characteristic_models
 - customized_models
 - vault_activity_type
 - vault_address
 - vault_bmas_business_and_...arket_hierarchy
 - vault_bmas_business_exclusions
 - vault_bmas_detail_primary_industry
 - vault_bmas_hierarchy
 - vault_bmas_hierarchy_descr_english
 - vault_bmas_nodes
 - vault_business_code
 - vault_business_organization**
 - vault_business_segment
 - vault_business_unit
 - vault_business_unit_group
 - vault_cost_center
 - vault_cost_center_category
 - vault_cost_centers_cte_helper
 - vault_cskt_cost_center_text
 - vault_currency
 - vault_currency_conversion
 - vault_currency_decimal_places
 - vault_customer
 - vault_customer_additional_attributes
 - vault_customer_attribute_4_text_english
 - vault_customer_condition... up text english

Details Description Columns Referenced By Depends On Code

Details

SECURITY
it_access_only

TAGS	PACKAGE	LANGUAGE	ACCESS	VERSION	CONTRACT
reference_data	reference_data_vault	sql	protected		Enforced

Description

business organization vault model 'bo' types from vault_bmas_nodes. Generates a hash key and exposes business organization attributes.

Columns

COLUMN	TYPE	DESCRIPTION	CONSTRAINT
vault_business_organization_hk		Hash key for the business organiz...	
business_organization_nk		Natural key for the business organ...	
sap_valid_from_date		SAP valid from date for the busine...	
sap_valid_to_date		SAP valid to date for the business ...	
vault_bmas_parent_nodes_fk		Foreign key to the vault_bmas_no...	
vault_business_segment_fk		Foreign key to the vault business s...	
business_segment		business segment (bmas_parent).	
description		Description of the business organi...	
abbreviation		Abbreviation for the business orga...	



REFERENCE DATA VAULT

dbt_project

dbt_packages

dev

logs

macros

models

bronze

gold

silver

characteristic_models

customized_models

vault_activity_type.sql

vault_activity_type.yml

vault_address.sql

vault_address.yml

vault_bmas_business_and_corp_marke...

vault_bmas_business_and_corp_marke...

vault_bmas_business_exclusions.sql

vault_bmas_business_exclusions.yml

vault_bmas_detail_primary_industry.sql

vault_bmas_detail_primary_industry.yml

vault_bmas_hierarchy_descr_english.sql

vault_bmas_hierarchy_descr_english.yml

vault_bmas_hierarchy.sql

vault_bmas_hierarchy.yml

vault_bmas_nodes.sql

vault_bmas_nodes.yml

vault_business_code.sql

vault_business_code.yml

vault_business_organization.sql

vault_business_organization.yml

vault_business_segments.sql

vault_business_segment.yml

vault_business_unit_group.sql

vault_business_unit_group.yml

vault_business_units.sql

vault_business_unit.yml

vault_cost_center_category.sql

vault_cost_center_category.yml

vault_cost_center.sql

vault_cost_center.yml

vault_cost_centers_cte_helper.sql

vault_cost_centers_cte_helper.yml

vault_cost_center_text.sql

vault_cost_center_text.yml

vault_currency_conversion.sql

vault_currency_conversion.yml

vault_currency_decimal_places.sql

vault_currency_decimal_places.yml

vault_currency.sql

vault_currency.yml

vault_customer_additional_attributes.sql

vault_customer_additional_attributes.y...

vault_customer_attribute_4_text_englis...

vault_customer_attribute_4_text_englis...

vault_customer_condition_group_text...

OUTLINE

TIMELINE

dbt_project > models > silver > customized_models > vault_business_organization.sql

1 SELECT

2 {{ emn_utils.hash_key('[bmas_key_cnk]') }} AS vault_business_organizatio

3 , [bmas_key_cnk] as business_organization_nk

4 , [sap_valid_from_date]

5 , [sap_valid_to_date]

6 , [vault_bmas_parent_nodes_fk]

7 , {{ emn_utils.hash_key('[bmas_parent]') }} as vault_business_segment_fk

8 , [bmas_parent] as business_segment

9 , [description]

10 , [abbreviation]

11 , [is_active]

12 , [is_blocked]

13 , [is_excluded]

14 , {{ emn_utils.add_vault_audit_columns() }}

15 FROM {{ ref('vault_bmas_nodes') }} as bo

16 where EXISTS (SELECT 1 FROM {{ ref('vault_business_unit_group') }} bug_w

17

18 and {{ emn_utils.incremental_on(ref_list='bo', offset=0, model_date='vault_bmas_nodes') }}

dbt_project > models > silver > customized_models > vault_business_organization.yml

1 models:

2 Add documentation or tests

3 - name: vault_business_organization

4 description: business organization vault model 'bo' type

5 Generates a hash key and exposes business organization

6 config:

7 unique_key: vault_business_organization_hk

8 contract:

9 enforced: true

10 tags:

11 - reference_data

12 constraints:

13 - type: primary_key

14 columns:

15 - vault_business_organization_hk

16 name: pk_vault_business_organization

17 columns:

18 - name: vault_business_organization_hk

19 description: "Hash key for the business organization

20 data_type: varchar(16)

21 tests:

22 - not_null

23 - unique

24 - name: business_organization_nk

25 description: "Natural key for the business organization

26 data_type: varchar(72)

27 tests:

28 - unique

29 - not_null

30 - name: sap_valid_from_date

31 description: "SAP valid from date for the business organization

32 data_type: datetime2(6)

33 - name: sap_valid_to_date

34 description: "SAP valid to date for the business organization

35 data_type: datetime2(6)

36 - name: vault_bmas_parent_nodes_fk

37 description: "Foreign key to the vault_bmas_nodes parent

38 data_type: varchar(16)

39 meta:

40 related_table: vault_bmas_nodes

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

DATAMATES

QUERY RESULTS

LINEAGE

DOCUMENTATION EDITOR

ACTIONS

COMMENTS

powerShell - dbt_project

(.venv) PS C:\SourceCode\Reference Data Vault\dbt_project> dbt test --select vault_business_organization --target dev

15:41:06 Running with dbt=1.9.4

15:41:07 Registered adapter: fabric=1.9.5

15:41:09 [WARNING]: Configuration paths exist in your dbt_project.yml file which do not apply to any resources.

There are 2 unused configuration paths:

- models.reference_data_vault.gold.vehicle.reference

- models.reference_data_vault.gold.vehicle.reference.dimensions

15:41:10 Found 448 models, 1 snapshot, 1 seed, 1260 data tests, 212 sources, 19 exposures, 661 macros

15:41:11

15:41:11 Concurrency: 1 threads (target='dev')

15:41:11

15:41:14 1 of 4 START test not_null_vault_business_organization_business_organization_nk [RUN]

15:41:17 1 of 4 PASS not_null_vault_business_organization_business_organization_nk [PASS in 2.97s]

15:41:17 2 of 4 START test not_null_vault_business_organization_vault_business_organization_hk [RUN]

15:41:20 2 of 4 PASS not_null_vault_business_organization_vault_business_organization_hk [PASS in 2.98s]

15:41:20 3 of 4 START test unique_vault_business_organization_business_organization_nk .. [RUN]

15:41:23 3 of 4 PASS unique_vault_business_organization_business_organization_nk [PASS in 3.12s]

15:41:23 4 of 4 START test unique_vault_business_organization_vault_business_organization_hk [RUN]

15:41:26 4 of 4 PASS unique_vault_business_organization_vault_business_organization_hk .. [PASS in 3.12s]

15:41:26 Finished running 4 data tests in 0 hours 0 minutes and 15.47 seconds (15.47s).

15:41:27

15:41:27 Completed successfully

15:41:27

15:41:27 Done. PASS=4 WARN=0 ERROR=0 SKIP=0 TOTAL=4

(.venv) PS C:\SourceCode\Reference Data Vault\dbt_project>

UNDERSTANDING A DBT MODEL'S FUNCTIONALITY

explain what this dbt model does

Optimizing tool selection...

Preparing to analyze current file

I'm going to inspect vault_business_organization.sql and any macros or upstream references it calls so I can give you a clear, accurate walkthrough of what the model is doing.

Reviewed vault_business_organization.sql and planned macro inspection

I've pulled the model SQL; next I'll quickly check the utility macros it uses so I can explain the exact behavior instead of guessing.

Searched for macros and reviewed relevant SQL files

I have the macro intent; I'll now check the compiled SQL for this exact model so I can name the concrete audit fields and incremental predicate it generates.

Searched for files and investigated macro argument issues

I confirmed the model contract and project-level materialization; I'll quickly inspect the incremental macro logic so I can clarify whether that filter actually does anything for this silver view model.

Reviewed incremental_filters.sql and clarified macro usage

vault_business_organization builds a curated business organization entity in the silver/vault layer from vault_bmas_nodes.

What it does in dbt_project/models/silver/customized_models/vault_business_organization.sql:1:

1. Creates keys

2. vault_business_organization_hk is a hashed surrogate key from bmas_key_cnk via emn_utils.hash_key.

3. vault_business_segment_fk is a hashed FK from bmas_parent.

4. Carries business attributes

5. It keeps the natural key plus validity dates and descriptive/status fields: business_organization_nk, sap_valid_from_date, sap_valid_to_date, business_segment, description, abbreviation, is_active, is_blocked, is_excluded.

6. Sources data

7. Reads from {{ ref('vault_bmas_nodes') }} as bo.

8. Filters rows to only "used" organizations

9. The EXISTS clause keeps only rows whose node is referenced by vault_business_unit_group: bug.vault_bmas_parent_nodes_fk = bo.vault_bmas_nodes_hk.

10. Adds audit metadata columns

11. emn_utils.add_vault_audit_columns() appends standard vault audit timestamps (as documented in dbt_project/models/silver/customized_models/vault_business_organization.yml:60, e.g. audit_src_utc_date, audit_lz_utc_date, audit_vault_utc_date).

12. Applies incremental predicate macro

13. emn_utils.incremental_on(ref_list='bo', model_date='vault', table_date='vault') adds an incremental date filter when materialized incrementally.

14. In your project, silver models are configured as view (dbt_project/dbt_project.yml:53), so this effectively compiles to a no-op condition (1=1 /* Not Incremental */) for this model today.

In short: it is a filtered, key-enriched silver vault model for business organizations, only retaining organizations that are linked to a business unit group and exposing standard vault audit fields.

+ vault_business_organization.sql

Describe what to build next

+ Local Agent Auto

FABCON SQLCON

ATLANTA26

JOIN THE CONVERSATION #FABCONSQLCON26

Home

Workspaces

Copilot

OneLake catalog

Monitor

Real-Time

Workloads

retail insights

...

Fabric

retail_insights_dw

Search

Trial: 11 days left

31

Create deployment pipeline

Create app

Manage access

Workspace settings

Filter by keyword

Filter

retail insights

+ New item

New folder

Import

Migrate

Choose from predesigned task flows or add a task to build one

Select from one of Microsoft's predesigned task flows or add a task to start building one yourself.

Select a predesigned task flow

Add a task

Import a task flow

Name	Status	Type	Task	Owner	Refreshed	Next refresh	Endorsement	Sensitivity	Included in app
retail_insights_dw		Warehouse	—	Pradeep Srikakola...	—	—	—	Confidential\Micro...	

Fabric

Quick Survey

Tell us what works —
and what does not —
in Fabric Data Warehouse!



aka.ms/fabric-data-warehouse-survey

Sound off. The mic is all yours.

Influence the product roadmap



Join the Fabric User Panel

Share your feedback directly with our Fabric product group and researchers

aka.ms/JoinFabricUserPanel



Join the SQL User Panel


Influence our SQL roadmap and ensure it meets your real-life needs

aka.ms/JoinSQLUserPanel

How was the session?



Complete Session Surveys in
Whova for your chance to WIN
PRIZES!



Get Two Fabric Certifications for FREE

Attendees of FABCON can take the Fabric Analytics Engineer or Fabric Data Engineer exam for free. Be part of the 2 fastest growing role-based certifications in Microsoft history.

Request your voucher by March 23, 2026.

<https://aka.ms/fabcon/cert100>

